

CONTENTS

Symposium of Smart Materials and Smart Structures

| | |
|---|-------------|
| Preface | 2949 |
| Overview of Japanese Smart Materials and Structures System Project | 2951 |
| Tateo Sakurai, Naoyuki Tajima, Mikio Sasajima, Nobuo Takeda and Teruo Kishi | |
| Recent Development of Smart Materials | 2955 |
| Yoshitake Nishi and Hiromasa Yabe | |
| Development of a Smart Materials Actuated Fuel Injector for Automobile Engines | 2959 |
| Yoshio Akimune, Tatsuo Sugiyama, Kazuo Matsuo, Junko Iita and R-J Xie | |
| Shape Memory Properties and Related Transformation Behavior in a Pre-deformed Sample at Room Temperature in Fe-15Mn-5Si-9Cr-5Ni-0.5NbC Alloy | 2965 |
| Z. Dong, S. Kajiwara, T. Kikuchi and N. Shinya | |
| Effect of Re Addition on Martensitic Transformation Behavior of Ni-Al-Alloys | 2969 |
| Hee Young Kim, Masanori Okada and Shuichi Miyazaki | |
| Evaluation of Nucleation and Propagation Behavior of Phase Transformation on Shape Memory Alloy Plate | 2973 |
| Makoto Koushinbou, Go Murasawa, Satoru Yoneyama, Toshio Sakuma and Masahisa Takashi | |
| High Temperature Shape Memory Effects in Ternary Ti-Ni-X (X=Pd, Zr) Thin Films | 2977 |
| T. Sawaguchi, M. Sato and A. Ishida | |
| Transformation Characteristics of Sputter Deposited SMA Thin Film | 2981 |
| Yong Liu and Xu Huang | |
| Joule Heat Induced Shape Memory Behavior of Ti-Ni Shape Memory Alloy Thin Films | 2985 |
| S. Inoue, T. Namazu, A. Hirayama and K. Kotera | |
| Effect of Heat Treatments on Microstructures and Shape Memory Effect in TiNi Foils Produced from Ultrafine Laminates | 2989 |
| Dacian Tomus, Koichi Tsuchiya, Takeshi Nagano, Akihide Hosokawa, Masahiro Sasaki, Toshiaki Ohmori and Minoru Umemoto | |
| Some Considerations on TiNi-based Thin Films for MEMS Applications | 2993 |
| Yongqing Fu, Hejun Du, Sam Zhang and Yanwei Gu | |
| Characteristics and Application of Ti-Ni Leaf-Spring Actuator | 2997 |
| Kazuhiro Kitamura | |
| Site Preference of The Third Element in TiNi | 3001 |
| Shoji Ishida, Koutaro Tabata, Sou Mizutani and Setsuro Asano | |
| Transformation Behavior of Ti-Ni-Pt High Temperature Shape Memory Alloys | 3005 |
| Yohei Takahashi, Tomonari Inamura, Junpei Sakurai, Hideki Hosoda, Kenji Wakashima and Shuichi Miyazaki | |
| Mechanical and Shape Memory Properties of Ti-Sc-Mo Biomedical Alloys | 3009 |
| Takashi Maeshima, Kiyoshi Yamauchi, Hiroaki Uchiyama and Minoru Nishida | |
| Microstructural Characterization and Shape Memory Effects of Ti-Nb-Al Alloys | 3013 |
| Tomonari Inamura, Yusuke Fukui, Hideki Hosoda, Kenji Wakashima and Shuichi Miyazaki | |
| Shape Memory Characteristics of Ti-Nb-Ge Alloy | 3017 |
| Yusuke Fukui, Tomonari Inamura, Hideki Hosoda, Kenji Wakabayashi and Shuichi Miyazaki | |

| | |
|---|------|
| Electronic Structures of Ferromagnetic Shape Memory Alloys with Martensitic 14M Phase | 3021 |
| Yoshinori Tanaka, Shoji Ishida and Setsuro Asano | |
| Composition Dependence of Structure in Au_{52.5-x}Cd_{47.5}-Ag_x Shape Memory Alloys | 3025 |
| Yuki Matsuoka, Akiko Nagahara and Toshiharu Suzuki | |
| Effects of Composition and Structure on Mechanical Properties of Polycrystalline Ni₂MnGa Alloy | 3029 |
| Hiroyuki Ogasawara, Makoto Ohtsuka, Minoru Matsumoto and Kimio Itagaki | |
| Relation between Composition and Shape Memory Effect of the Sputtered Films of Ferromagnetic Shape Memory Alloy Ni₂MnGa | 3033 |
| Yuya Konno, Makoto Ohtsuka, Minoru Matsumoto and Kimio Itagaki | |
| Design of Smart Composites Based on Polymer and Shape Memory Alloy Powders | 3037 |
| H. Hosoda, S. Takeuchi, M. Yamazaki, T. Inamura, K. Wakashima and S. Miyazaki | |
| Progress on Processing and Design of Composites with Embedded Shape Memory Alloy Wires | 3043 |
| V. Michaud and J.-A. E. Månsen | |
| Corrosion Behavior of Ti-Ni-Cu Shape Memory Alloys for Heat Engine Actuator in Simulated Geothermal Waters | 3049 |
| Yosuke Horiuchi, Akira Ogawa, Yoshihiro Sasaki, Toshio Sakuma, Li-Bin Niu and Hiroshi Takaku | |
| Fatigue Properties of Highelastic Thin Wire and Superelastic Thin Tube of NiTi Alloy | 3053 |
| Ryosuke Matsui, Hisaaki Tobushi, Hiroshi Horikawa and Yuji Furuichi | |
| Rearrangement of Martensite Variants of Fe-31.2at.%Pd under Magnetic Field | 3057 |
| Tatsuaki Sakamoto, Keiichi Yoshinaka, Takashi Fukuda, Tomoyuki Kakeshita and Kohji Kishio | |
| Influence of Magnetic Field Direction on Recoverable Strain Due to Rearrangement of Variants in Fe₃Pt | 3059 |
| Takashi Fukuda, Tatsuaki Sakamoto, Tetsuya Inoue, Tomoyuki Kakeshita and Kohji Kishio | |
| Magnetic Shear Stress for the Rearrangement of Martensite Variants in Stoichiometric Ni₂MnGa | 3061 |
| Nariaki Okamoto, Takashi Fukuda, Tomoyuki Kakeshita, Tetsuya Takeuchi and Kohji Kishio | |
| Development of High-temperature Shape Memory Alloys in the Ni_{2+x}Mn_{1-x}Ga System | 3063 |
| Vladimir V. Khovailo, Toshihiko Abe, Toshiyuki Takagi, Makoto Ohtsuka and Minoru Matsumoto | |
| Self-Crack-Healing under Cyclic Stress of Silicon Nitride Composite | 3067 |
| Koji Takahashi, Kotoji Ando and Shinji Saito | |
| Fatigue Strength of Crack-Healed Al₂O₃/SiCw at Elevated Temperature | 3071 |
| K. Ando, S. K. Lee, M. Yokouchi, K. Takahashi and H. Suenaga | |
| Critical Crack Healing Condition under Stress and Subsequent Strength at the Healing Temperature | 3075 |
| Wataru Nakao, Masato Ono, Masahiro Yokouchi, Koji Takahashi and Kotoji Ando | |
| Fabrication of Metallic Closed Cellular Materials by Sintering of Metal Coated Heat Resisting Particles | 3079 |
| Satoshi Kishimoto and Norio Shinya | |
| Structures of Tetra-needle Like ZnO Whisker During the Crystal Growth | 3083 |
| Zuowan Zhou, Longsheng Chu, Shuchun Hu and Lixia Gu | |
| Metal-carbon Nanocomposite Films for Temperature Sensing with Enhanced Functionality | 3087 |
| T. Takeno, T. Takagi, A. Bozhko, M. Shupugin | |
| Cellular/Dendritic Transition in Directional Solidification of Tb_{0.27}Dy_{0.73}Fe_{1.95} Alloy | 3091 |
| Chengchang Ji, Shigen Zhu, Jianguo Li and Yaohe Zhou | |
| Formation of Self-Orientated Nanocrystals in an Amorphous Alloy under Focused-Ion-Beam Irradiation | 3095 |
| Takuya Kamikawa, Ryuichi Tarumi, Kazuki Takashima and Yakichi Higo | |
| Influence of Grain Boundary on Magnetoresistance in La_{0.7}Ca_{0.3}MnO₃ | 3099 |
| T. Murata, T. Terai, T. Fukuda, T. Kakeshita and K. Kishio | |

| | |
|--|-------------|
| γ'-Fe₄N Thin Films with Out-of-plane Magnetization | 3103 |
| Kaoru Higashi and Katsuto Oda | |
| Colossal Magnetoresistance (CMR) Effect in (Fe,Cu)Cr₂S₄ | 3107 |
| Shintaro Sakai and Katsuro Oda | |
| <i>Symposium of Self-Assembled Materials</i> | |
| Preface | 3111 |
| Functional, Nanostructured Materials via the Polymerization of Liquid Crystal Assemblies | 3113 |
| D. L. Gin, Y. Xu, W. Gu, M. Zhou, T. J. Kidd and A. C. Sentman | |
| Organic Intercalation with Layered Polymer Crystals Consisting of Diisotactic and Disyndiotactic Polymer Chains | 3119 |
| Shinya Oshita, Toshihiro Tanaka and Akikazu Matsumoto | |
| Photo-Thermal Effects of Some Cholesterol-Azobenzene Containing Dimesogens | 3123 |
| V. Ajay Mallia and Nobuyuki Tamaoki | |
| Control of the Lower Critical Solution Temperature of Poly(acrylamide) with Azobenzene Units | 3127 |
| Haruhisa Akiyama and Nobuyuki Tamaoki | |
| The Construction of Polymeric [2×2] Metal Grids utilizing Supramolecular Initiators | 3131 |
| Richard Hoogenboom, Daan Wouters and Ulrich S. Schubert | |
| Supramolecular Engineering with Macromolecules: Preparation of Block Copolymers and Nanomaterials | 3135 |
| Bas G.G. Lohmeijer and Ulrich S. Schubert | |
| Two-Dimensional Manipulation of -conjugated Polymer by Means of Instant Mass Migration | 3139 |
| Nobuyuki Zettsu, Takashi Ubukata, Masahiko Hara and Takahiro Seki | |
| Ligand-Printed Ion Pore Composed of Polypeptide Assembly in a Lipid Bilayer Membrane | 3143 |
| Masahiro Higuchi, Tomoyuki Koga, Takatoshi Kinoshita, Yoshiaki Kobuke and Masami Kawaguchi | |
| Preparation of the Novel Sensing System using Structural Color Plate | 3147 |
| S. Hayashi, Y. Yokogawa, R. Tominaga and T. Kinoshita | |
| Visual Sensing System from Polypeptide Nano-Assembly | 3151 |
| M. Sivakumar, R. Tominaga, T. Koga, T. Kinoshita, M. Sugiyama and K. Yamaguchi | |
| Characterization of Organized Molecular Layers Including Amphiphilic Isothiouronium Derivatives | 3155 |
| Yoshihiro Misawa, Yuji Kubo, Sumio Tokita, Hirokazu Ohkuma and Hiroo Nakahara | |
| Odd-Even Effects of Multilayers in Azobenzene-Containing Urea Amphiphiles | 3159 |
| Toru Kobayashi and Takahiro Seki | |
| Concentration-Dependent Structural Transition of Supramolecular Thiacyanine J-Aggregates in Solution | 3163 |
| Takeshi Isohashi, Hiroshi Yao and Keisaku Kimura | |
| Nonlinear Optical Susceptibility of Tetra-tert-butyl-Vanadyl-phthalocyanine Films Laminated by Langmuir-Blodgett Method | 3167 |
| Saburo Uchida, Vijay T. Chitnis, Hideo Furuhashi, Akinori Maeda, Goro Sawa, Kenzo Kojima, Asao Ohashi, Shizuyasu Ochiai, Yoshiyuki Uchida and Teruyoshi Mizutani | |
| Optical Properties of J-aggregates in Vapor Deposited Films of a Bisazomethine Dye | 3171 |
| Shinya Matsumoto, Takashi Kobayashi, Tetsuya Aoyama and Tatsuo Wada | |
| Ferroelectric Langmuir-Blodgett Multilayers Incorporating Metallic Cations | 3175 |
| Shuhong Li, Shihong Ma, Bo Li, Jinglan Sun, Genshui Wang, Xiangjian Meng, Junhao Chu and Wencheng Wang | |
| Preparation of Mesoporous Silica Films Filled with Various Amino Acids and Peptides in Their Nanopores | 3179 |
| Katsuhiko Ariga, Qingmin Zhang, Akihiro Okabe, Makiko Niki, Takuzo Aida, Tomoyuki Koga, Yukihiro Kojima and Takatoshi Kinoshita | |

| | |
|--|-------------|
| Immobilization of One-Dimensional Charge-Transfer Assemblies in Mesoporous Silica Films through Discotic Molecule Templating | 3183 |
| Akihiro Okabe, Takanori Fukushima, Katsuhiko Ariga and Takuzo Aida | |
| Asymmetric Photoreaction in Peptide Assemblies Confined in Mesoporous Silica Nanopores | 3187 |
| Takuji Aimiya, Katsuhiko Ariga, Akihiro Okabe, Takanori Fukushima, Makiko Niki and Takuzo Aida | |
| Soft Templating of Metallic and Metal Oxide Porous Sponges Using Sacrificial Dextran-Based Composites | 3191 |
| Dominic Walsh, Laura Arcelli, Toshiyuki Ikoma, Junzo Tanaka and Stephen Mann | |
| Preparation of Metal/Metal Oxide Network Using Organic Polymer Gel | 3195 |
| Yoshimi Seida and Yoshio Nakano | |
| Phthalocyanine-Gold Particle Nanostructured Assemblies for Near-IR Photoelectric Conversion | 3199 |
| Sunao Yamada, Kazuma Inoue, Tsuyoshi Akiyama, Yutaka Kuwahara, Nao Terasaki, Satoshi Nitahara and Shinobu Inoue | |
| Preparation of Organic-Inorganic Nanohybrids by Using Self-Assembly Reaction of Amorphous Metal Hydroxides with Organic Compounds | 3203 |
| H. Noguchi, T. Takahashi, B. Hatano and H. Tagaya | |
| Preparation and Intercalation Reactions of Zn-Sn LDH and Zn-Al-Sn LDH | 3207 |
| Osama Saber and Hideyuki Tagaya | |
| Complexation of Dendrimer-protected Silver Nanoparticles with Hydrotalcite | 3211 |
| Alexsandro Santos Costa and Toyoko Imae | |
| Intercalation of Cu²⁺ with 3-(Aminopropyl) triethoxysilane into Montmorillonite | 3215 |
| Toshimi Sugiyama, Emi Noguchi, Takafumi Furuya, Tomohiko Hayashi, Takako Kawamura, Yoshikuni Uchida, Kazunori Matsui and Yoshiyuki Nakamura | |
| Control of Photochemical Dimerization of Acenaphthylene in Graphite Oxides Intercalated by n-Alkylamines with Different Alkyl Chain Lengths | 3219 |
| Yoshiaki Matsuo, Takahiro Fukunaga, Naoto Tokura, Tomokazu Fukutsuka and Yosohiro Sugie | |
| Adosorption of Cationic Surfactants on Hydrogen-Terminated Si(111) Surfaces Studied by In-situ Atomic Force Microscopy | 3223 |
| A. Imanishi, M. Suzuki and Y. Nakato | |
| Quenching Effects and Conduction Characteristics of Al Doped ZnO Ceramics | 3227 |
| T. Tohsophon, N. Sirikulrat and T. Tunkasiri | |
| <i>Symposium of Materials for Membrane Separation</i> | |
| Preface | 3231 |
| Inorganic Membranes for Harsh Conditions – Viewpoints on Materials Issues | 3233 |
| Rune Bredesen | |
| Development of Ceramic Support Substrates for Hydrogen Separation Membrane Applications | 3239 |
| S. Yamada, Y. Yoshino, B.N. Nair and H. Taguchi | |
| Preparation of Thin Zeolite Films on Porous Titania-Stainless Steel Composite Substrates | 3243 |
| Mikihiro Nomura, Leszek Gora, Thomas Maschmeyer, Ben Meester, Joop Schoonman, Freek Kapteijn and Jacob A. Moulijn | |
| Transport Properties of Condensable Gases through Microporous Silica Membranes | 3247 |
| Tomohisa Yoshioka, Junpei Tanaka, Syougo Furutani, Toshinori Tsuru and Masashi Asaeda | |
| Hydrogen Permeation Characteristics of Melt-Spun Amorphous Alloy Membranes | 3251 |
| S. Yamaura, H.M. Kimura, A. Inoue, M. Nishida, Y. Shimpo and H. Okouchi | |

| | |
|---|-------------|
| Preparation and Characterization of SiC Membranes for High Temperature Hydrogen Separation | 3255 |
| H. Suda, Y. Uchimaru, I. Fujiwara and K. Haraya | |
| Catalytic Membrane Reactors for Methane Reforming using Hydrogen Permselective Silica Membranes | 3259 |
| T. Tsuru, K. Yamaguchi, T. Yoshioka and M. Asaeda | |
| Microporous Silica Membrane Prepared using TMOS/O₃ CVD in Opposing Reactants Geometry | 3263 |
| G. Suraj, K. Ono, M. Nomura, T. Sugawara, H. Takaba and S. Nakao | |
| Stability of Ni-doped Silica Membranes for H₂ Separation at High Temperature | 3267 |
| M. Kanezashi, T. Yoshioka, T. Tsuru and M. Asaeda | |
| Microporous Inorganic Membranes for CO₂ Separation | 3271 |
| Izumi Kumakiri, Nicolas Lecerf and Rune Bredesen | |
| Gas Permeation Properties of Iron Containing Carbon Molecular Sieve Membranes | 3275 |
| H. Suda, I. Fujiwara and K. Haraya | |
| Development of a Design Tool for Gas Separation Membrane Modules using Computational Fluid Dynamics Simulation | 3279 |
| Hiromitsu Takaba, Takuro Nishimura, Kimito Funatsu and Shin-ichi Nakao | |
| Effect of Molecular Interactions on Gas Permeation Properties through a Microporous Silica Membrane Studied with Molecular Dynamics Simulation | 3283 |
| Tomohisa Yoshioka, Toshinori Tsuru and Masashi Asaeda | |
| A Novel Method for Preparation of SrFeCo_{0.5}O_x Membranes on Porous Substrates for Oxygen Permeation | 3287 |
| Masayuki Ikeguchi, Masayuki Kaneko, Yasushi Sekine, Eiichi Kikuchi and Masahiko Matsukata | |
| Methanol Permeation Properties of Sulfonated Polyimide Membranes | 3291 |
| Ken-ichi Okamoto, Liming Yang, Tatsuaki Honda, Yan Yin, Makoto Yoshino, Kazuhiro Tanaka and Hidetoshi Kita | |
| Pervaporation Properties for an Azeotrope of Ethanol/Water through Organic-Inorganic Hybrid Membranes from Quaternized Chitosan with Tetraethoxysilane | 3295 |
| Tadashi Uragami, Takuya Katayama and Takashi Miyata | |
| Gas and Vapor Permeation through Liquid Membrane Using Ionic Liquid | 3299 |
| Nobuhiro Yamanouchi, Shuhong Duan and Akira Ito | |
| Effect of Ultrasound on Membrane Cleaning Processes for Enhancement of its Permeability | 3303 |
| Kyaing Kyaing Latt, Tsuyoshi Kobayashi and Takaomi Kobayashi | |
| A Photocatalytic Membrane Reactor for Liquid-phase Reactions using Porous Titanium Oxide Membranes | 3307 |
| T. Tsuru, Y. Ohtani, T. Yoshioka and M. Asaeda | |
| Molecularly Imprinted Nylon Membranes Having Amino Acid Selective Binding Properties. Effect of Phase Inversion Condition on Membrane Characteristics | 3311 |
| Takaomi Kobayashi, Masanori Abe and Kohei Takeda | |
| Preparation and Characterization of Polymer-Mica Composite Cation-Exchange Membranes | 3315 |
| Ryotaro Kiyono, Kaori Hanai, Masayasu Tasaka, Kunio Kitajima and Tomohiro Yamaguchi | |
| Effect of Thin Fluoro-ionomer Coating by Plasma Polymerization on Methanol Crossover and Proton Conductivity of Membrane for Direct Methanol Fuel Cell | 3319 |
| Masao Sudoh, Tomoyoshi Hakamata, Kazuyoshi Furukawa and Keiichi Okajima | |
| Ion-Pairing Effects in Charged Membranes with Low Water Contents | 3323 |
| Ryotaro Yamamoto, Hidetoshi Matsumoto and Akihiro Tanioka | |