

CONTENTS**Regular Paper**

| | |
|--|-----|
| Microwave Heating of Thin Cu Film | 603 |
| Shigeki Kakiuchi, Yasuo Suda, Kozo Obara and Hideyuki Sueyoshi | |
| Symposium of Materials for Living - Environment · Energy · Medicine - | |
| Preface | 609 |
| Change in Zeta Potential by Alternating Electromagnetic Treatment as Scale Prevention Process | 611 |
| Senshsin Umeki, Takashi Watanabe, Haruki Shimabukuro, Takuya Kato, Noboru Yoshikawa, Shoji Taniguchi and Kazuyuki Tohji | |
| Numerical Calculation of Joule Heat Generated by Susceptor Heating with Induction for Wast Vitrification | 615 |
| J. S. Park, H. Shimada, S. Taniguchi, K. Betsumori, H. Morino and S. Yamada | |
| Sodium Borosilicate Glass Produced from Coal Fly Ash Upon Vitrification in an Induction-Melting Furnace | 619 |
| Jong-Soo Park and Shoji Taniguchi | |
| Thermomechanical Properties of Ti-Mo-Sn Alloys | 623 |
| T. Yamamoto, Y. Shimizu, Y. Matsunaga, Y. Sutou, K. Yamauchi and T. Sakuma | |
| Thermomechanical Behavior and Electric Characteristic of Ti-Ni-Cu Shape Memory Alloy | 627 |
| Y. Takeda, T. Yamamoto, A. Goto and T. Sakuma | |
| Mechanical Properties of Ti-Nb-Mo-Al Alloys | 631 |
| T. Yamamoto, Y. Matsunaga, H. Hosoda, S. Miyazaki and T. Sakuma | |
| Effect of Bias Load on Positioning Characteristics of Shape Memory Alloy Actuator Based on Resistance Feedback Control | 635 |
| Yuji Takeda, Takaiei Yamamoto and Toshio Sakuma | |
| Application of Ni-free Ti-Mo-Sn Shape Memory Alloys to Medical Tools | 639 |
| Y. Sutou, A. Furukawa, M. Suzuki, K. Yamauchi and M. Nishida | |
| Deformation Analysis for Coil Spring of Ti-Ni Shape Memory Alloy in the Superelastic Regime | 643 |
| Akihiko Suzuki, Takahiro Nohara, Hideo Shibutani, Takaiei Yamamoto, Toshio Sakuma and Hidenari Baba | |
| Influence of Minor Elements in Clinker on the Properties of Cement: A New Approach for Application to Commercial Cement Manufacturing | 647 |
| Kenichi Shimosaka, Toshikatsu Inoue, Hisanobu Tanaka and Yukinao Kishimoto | |
| Influence of Some Chemical Admixtures on Growth Behavior of Ettringite from Aqueous Solution | 653 |
| Koji Makida, Keita Kunimitsu and Ryuichi Komatsu | |
| Effect of Finely Ground Calcium Hydroxide on the Strength Development of Steam-Cured Concrete | 657 |
| Tatsuo Shinmi, Hiroyoshi Kato, Takashi Chabayashi and Hiroyuki Doi | |
| Structural and Electrochemical Properties of $\text{Li}[\text{Ni}_{1/2-x/2}\text{Mn}_{1/2-x/2}\text{Li}_x]\text{O}_2$ | 661 |
| Yasuhiro Fujii, Hiroshi Miura, Naoto Suzuki, Masaki Okada and Noriaki Nakamura | |
| Design of Magnetic Circuit for Miniature Micro-strip Isolator Operating Above Resonance | 665 |
| T. Tanaka, H. J. Cha, K. Komada, K. Oshiro, H. Kurisu and S. Yamamoto | |
| Chemical Polishing on Titanium Materials for UHV Systems | 669 |
| K. Ishizawa, H. Kurisu, S. Yamamoto, M. Matsuura, T. Nomura and N. Murashige | |
| Development of Sheet-Type Hydrogen Sensors | 673 |
| K. Takano, A. Inouye, S. Yamamoto, M. Sugimoto, A. Sugiyama and M. Yoshikawa | |
| Trial Making and Evaluations of Solar Battery with Wavelength Selective Transmission Thin Films | 677 |
| Jin Li and Shigetaka Fujita | |
| Design and Preparation of Reflection-Reducing Thin Films and Their Optical Characteristics | 681 |
| Jin Li and Shigetaka Fujita | |

| | |
|---|-----|
| Development of Dye-sensitized Solar Cell Using Solid Polymer Electrolyte Consisting of Hyper-branched Graft Polymer | 685 |
| Nobutaka Endo, Yoko Hashizume and Mitsuru Higa | |
| Correlation between Preparation Procedure of Fe₂O₃ Embedded in Clay and Its Photocatalytic Activity | 689 |
| Seiji Kakuta, Toshiaki Mori and Toshiyuki Abe | |
| Improvement of Lithium Secondary Battery Properties by Blending LiMn₂O₄ Nano Particles with Different Composition | 693 |
| Izumi Mukoyama, Takashi Ogihara, Nobuo Ogata and Koji Nakane | |
| Effect of Electric Current Heat Treatment on the Shape Memory Characteristics in Ti-Ni Thin Wires | 697 |
| Kazuhiro Kitamura | |
| Joining Technique and Power Generation Characteristics of <i>p</i>-NaCo₂O₄/<i>n</i>-ZnO Oxide Thermoelectric Modules | 701 |
| Takeshi Souma, Michitaka Ohtaki, Masayuki Shigeno, Yasuhiro Ohba, Norikazu Nakamura and Toshitada Shimozaki | |
| Recycling of Polyurethane using High-pressure Steam Treatment | 705 |
| Ai Noritake, Mikiji Shigematsu, Tetsuya Tsujii and Mitsuhiko Tanahashi | |
| Zeolite NaA Membranes Supported on α-alumina Cylindrical Tubes | 709 |
| Masakazu Kondo, Tadafumi Yamamura, Etsuo Sugimoto and Hidetoshi Kita | |
| Preparation and Properties of CMC Gel | 713 |
| Machiko Takigami, Haruyo Amada, Naotsugu Nagasawa, Toshiaki Yagi, Takamitsu Kasahara, Shoji Takigami and Masao Tamada | |
| Synthesis and Characterization of Metal(Fe, Al or Mg) Doped Li[Ni_{1/3}Mn_{1/3}Co_{1/3}]O₂ Particle by Ultrasonic Spray Pyrolysis | 717 |
| Kenichi Myoujin, Takashi Ogihara, Koji Nakane and Nobuo Ogata | |
| Synthesis of TiO₂ Films on Glass Substrates for Hydrophilicity Applications | 721 |
| Li Luo, Lei Miao, Sakae Tanemura and Masaki Tanemura | |
| Fixation of Carbon Dioxide and Production of Hydrogen Gas by Iron Powder at Room Temperature | 725 |
| Hiromi Eba and Kenji Sakurai | |
| Influence of Scattering Centers on UV Transmittance in Li₂B₄O₇ Single Crystals and Its Origin | 729 |
| Yusuke Shiro, Ryuichi Komatsu and Shigeru Fujino | |
| Kinetics of <i>iso</i>-Propanol Oxidation Catalyzed by TS-1 Membrane Reactor | 733 |
| Pei Chen, Xiangshu Chen and Hidetoshi Kita | |
| <i>Symposium of Nanostructure of Materials and Their Function and Property II</i> | |
| Preface | 737 |
| Self-supported Zn₅(CO₃)₂(OH)₆ Film Formation at Air-liquid Interface | 739 |
| Yoshitake Masuda and Kazumi Kato | |
| Nano-size Anodization of Si by using an Atomic Force Microscope | 743 |
| N. Takahashi, S. Harako and X. Zhao | |
| Fabrication of Lanthanum Hexaboride Single Nanowire Field Emitter and Their Field Emission Properties | 747 |
| Han Zhang, Jie Tang, Pinwen Zhu, Qi Zhang, Otto Zhou and Lu-Chang Qin | |
| The Study on Photochromism Activity of Ag-TiO₂ Aerogel | 751 |
| Tao Jiang, Miao Lei, Sakae Tanemura, Masaki Tanemura and G. Xu | |
| Reproducible Microfabrication Method for a Metal Oxide Film on a Chemical Template of Self-assembled Monolayer | 755 |
| Naoto Shirahata, Yoshio Sakka and Atsushi Hozumi | |
| Preferential Synthesis of Cyclic Phenylazomethines and Their Redox Behavior | 759 |
| Ryo Shomura, Masayoshi Higuchi and Dirk G. Kurth | |
| Synthesis of Organic-Metallic Hybrid Polymers Using Novel Bis-terpyridines Bearing Alkoxy Chains | 763 |
| Masayoshi Higuchi, Yuhki Ohtsuka, Yumeno Akasaka and Dirk G. Kurth | |

| | |
|--|-----|
| Trial of Functionalization of Silicon Tip Surface by Si-C Bonding | 767 |
| Tetsu Yonezawa, Naoto Shirahata and Yoshiko Miura | |
| Synthesis and Biological Properties of Glycopolymer-Polylactide Conjugate | 769 |
| Natusko Wada, Yoshiko Miura and Kazukiyo Kobayashi | |
| Synthesis and Evaluation of PEG Hydrogel Incorporating Two Dimensionally Dispersed Cell Spheroid | 773 |
| Yoshiyuki Sato, Tomomi Satomi, Koji Ueno, Tetsuya Tateishi and Hidenori Otsuka | |
| Photo-isomerization of a Phenylboronic Acid Bearing an Azo Group to Switch Sugar Recognition | 777 |
| K. Owashi, K. Ueno, T. Satomi, G. Chen and H. Otsuka | |
| <i>Symposium of The Science and Technology of Gel's Characteristics Woven by Network and Solvent</i> | |
| Preface | 781 |
| Sensing of Adsorption Induced Phase Behavior of Stimuli-sensitive Polymer Hydrogel Using Quartz Crystal Microbalance | 783 |
| Yoshimi Seida, Itaru Sato, Keiko Taki and Yoshio Nakano | |
| Volume Change of Microcapsules Induced by Solvent Exchange | 787 |
| Natsumi Mogami, Shihchieh Lin, Takayuki Narita, Yasuyuki Maki, Takao Yamamoto and Toshiaki Dobashi | |
| Fixation of Self-Assembled Structure Induced by Vaporization of Volatile Solvents in Polymer Solutions Containing Nanoparticles | 791 |
| Hiroyuki Takeno, Kunimitsu Kikuchi, Toshiaki Dobashi, Masahiro Nobe and Atsumi Wakabayashi | |
| Effect of Organic-Solvent Treatment on Swelling of Poly(acrylamide-co-sodiumacrylate) Gel | 795 |
| Kazuhiro Hara, Takao Tanigawa, Kazuki Yanagihara, Atsuhiko Nishida and Satoru Yoshioka | |
| Adsorption Kinetics of Carcinogenic Agent to DNA Gel Beads | 799 |
| Yasuyuki Maki, Kazuya Furusawa, Masako Wakamatsu, Takao Yamamoto and Toshiaki Dobashi | |
| Adhesion Properties of Physically Crosslinked Hydrogels of Poly(Sodium Acrylate) | 803 |
| D. Sakasegawa, R. Iwasaki, M. Goto and A. Suzuki | |
| Collapse and Swelling of Thermosensitive Poly(N-isopropylacrylamide) Brushes Monitored by a Quartz Crystal Microbalance | 807 |
| Chie Yahiro, Masahiko Annaka, Akihiko Kikuchi and Teruo Okano | |
| Giant Magnetorheological Effect of Agar Magnetic Gels | 811 |
| Tetsu Mitsumata, Takafumi Yamamoto, Emiko Suzuki and Jun-ichi Takimoto | |
| Structural Characterizations of Carbon Aerogels and Resorcinol-Formaldehyde Aerogels | 815 |
| Y. N. Feng, L. Miao, S. Tanemura, M. Tanemura and K. Suzuki | |
| Effect of Terminal-Group Substitution of a Harmful-Heavy-Metal-Anion Adsorbing Gel | 819 |
| Kazuhiro Hara, Misako Yoshigai and Tetsuaki Nishida | |
| Dielectric Study on Restricted Molecules of Liquid Crystal and Liposome | 823 |
| S. Okudaira, S. Choe, M. Kosuge, S. K. Kundu, W. Yamamoto, R. Kita, N. Shinyashiki and S. Yagihara | |
| Effect of Metal Ion Absorption on Structure and Electric Conductivity of Nafion | 827 |
| Takao Mitsui, Masaaki Sugiyama, Hiroshi Orihara, Yong Hona, Yuji Soejima, Kazuhiro Hara, Takashi Sato, Keiji Ito, Kazuhiro Mori and Toshiharu Fukunaga | |
| Effects of Synthesis Temperature and TEMED Concentration on the Swelling Behavior of PAAm Gel | 831 |
| Kazuhiro Hara, Kazuki Yanagihara, Takao Tanigawa, Atsuhiko Nishida and Satoru Yoshioka | |
| Rheological and Structural Studies on Gelation of 12-Hydroxystearic Acid Solution | 835 |
| Hiroyuki Takeno, Noriaki Kikuchi, Shingo Kondo and Toshiaki Dobashi | |
| Reentrant Swelling Behavior of Poly(N-isopropylacrylamide) Gel | 839 |
| Hirohisa Miki, Atsusi Suzuki, Shin Yagihara and Masayuki Tokita | |
| Developments for a Fluid Valve Using Magnetic Gels | 843 |
| Yuki Horikoshi, Tetsu Mitsumata and Jun-ichi Takimoto | |

Symposium of Materials Database and Application System for Materials Design

| | |
|---|------------|
| Preface | 845 |
| Rheological Characteristics of Molten Metal for Casting Design | 847 |
| Soo-Han Park, Hwan-Goo Seong, Young-Hwan Song and Bo-Young Hur | |